



WATER RESISTANT LAMINATE FLOORING

 **CLASSEN**<sup>®</sup>

**CATALOGUE**  
2023



**CLASSEN® FLOORS FOR A BETTER TOMORROW**

In the middle of the Brandenburg forest, in Baruth (near Berlin), the CLASSEN Group produces premium laminate flooring, 100 % integrated from wood cutting to the finished product. All waste materials generated in production are used either materially or thermally for the production of process energy. The laminate is manufactured in an environmentally friendly manner, developed using the latest technology and impresses with its high-quality finish. All CLASSEN laminate products bear the „Blauer Engel“ (Blue Angel) environmental seal of the German Federal Government.

We only use wood from sustainable forestry certified according to FSC® (FSC C100583) and PEFC (PEFC/04-31-0824) as well as from other controlled sources. As a rule, we obtain the wood from the immediate surrounding area in order to keep the delivery routes short.



# CONTENT

01.	INTRODUCTION	4	17.	EXPERT 4V	66
02.	CHARM 4V	6	18.	LEGEND 4V	70
03.	EUPHORIA 4V	10	19.	VISIOGRANDE	74
04.	EXPEDITION 4V	14	20.	XXL DYNAMIC	80
05.	NATURE 4V	18	21.	XXL HORIZON	84
06.	TREND 4V	22	22.	GRANDE XXL	88
07.	VISION 4V	26	23.	DIAMOND 4V	94
08.	GALAXY 4V	30	24.	FORZA 4V	98
09.	MASTER 4V	34	25.	IMPRESSION 4V	102
10.	CHOICE 4V	38	26.	VOGUE 4V	106
11.	ELITE 4V	42	27.	DISCOVERY 4V	110
12.	EVOLUTION 4V	46	28.	STORY 4V	114
13.	EMOTIONS 4V	50	29.	SUPREME 4V	118
14.	HARMONY FORTE	54	30.	EXTREME 4V	122
15.	PRIDE 4V	58	31.	TECHNOLOGIES	126
16.	VILLA 4V	62			



# 1. WATER RESISTANT

megaloc  
aqua protect



48h 




SCAN & SEE  
the animation  
showing how it works

## WHY IS CLASSEN'S WATER RESISTANT FLOORING THE BEST CHOICE?

### NALFA and ISO 4760:2022

The NALFA test is a standardized method to assess the water behaviour of laminate flooring. By carrying out strictly defined tests, **North American Laminate Flooring Association** determines the **48-hour resistance** of laminated panels to standing water, simulating a serious fault / failure of the water system, thus exposing the joints of the panels to swelling and irreversible damage.

CLASSEN panels have made it to the first and best NALFA result group, i.e. **no visible swelling on the surface**. We are proud of it!



### SAFE flooring

Our floors can be used anywhere in the house, complex solution - for bathrooms, kitchens, pets and kids...

A minimum content of formaldehyde, CLASSEN products are a perfect solution for people who care about the safety of users.

Daily use, cleaning and splash situations no longer damage the floor!



[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)





02.

# CHARM 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Charm 4V Livorno Oak






**Evans Oak** 56684  
1285 x 192 x 8 mm / str. wood matt



**Kendari Oak** 56685  
1285 x 192 x 8 mm / str. wood matt



**Lindau Oak** 56686  
1285 x 192 x 8 mm / str. wood gloss




**Portland Oak** 56690  
1285 x 192 x 8 mm / str. wood matt



**Livorno Oak** 56687  
1285 x 192 x 8 mm / str. wood matt



**Marcone Oak** 56688  
1285 x 192 x 8 mm / str. wood matt



**Milano Oak** 56689  
1285 x 192 x 8 mm / str. wood matt



**Rochester Oak** 56691  
1285 x 192 x 8 mm / str. wood matt



Charm 4V Rochester Oak



03.

# EUPHORIA 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Euphoria 4V Trevi Oak






Euphoria 4V Romero Oak



**Catania Oak** 56601  
1285 x 192 x 8 mm / str. synchro



**Pamir Oak** 56603  
1285 x 192 x 8 mm / str. synchro



**Muren Oak** 56604  
1285 x 192 x 8 mm / str. synchro



**Ember Oak** 56605  
1285 x 192 x 8 mm / str. synchro



**Atlas Oak** 56602  
1285 x 192 x 8 mm / str. synchro



**Trevi Oak** 56606  
1285 x 192 x 8 mm / str. synchro



**Romero Oak** 56831  
1285 x 192 x 8 mm / str. synchro



**Sutton Oak** 58632  
1285 x 192 x 8 mm / str. synchro



04.

# EXPEDITION 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Expedition 4V Turkana Oak





**Masaya Oak** 52782  
1285 x 192 x 8 mm / str. wood matt



**Tanganika Oak** 52783  
1285 x 192 x 8 mm / str. wood matt



**Turkana Oak** 52786  
1285 x 192 x 8 mm / str. wood matt



Expedition 4V Patos Oak



**Patos Oak** 54852  
1285 x 192 x 8 mm / str. wood gloss



**Lugano Oak** 54855  
1285 x 192 x 8 mm / str. wood gloss



**Onega Oak** 54856  
1285 x 192 x 8 mm / str. wood matt



**Asal Oak** 55012  
1285 x 192 x 8 mm / str. wood matt



**Niasa Oak** 55013  
1285 x 192 x 8 mm / str. wood matt



**Titicaca Oak** 56619  
1285 x 192 x 8 mm / str. wood matt



05.

# NATURE 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE




THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Nature 4V Flamante Oak





**Santuro Oak** 55274  
1285 x 192 x 8 mm / str. synchro



**Formagio Oak** 55276  
1285 x 192 x 8 mm / str. synchro




**Flamante Oak** 55279  
1285 x 192 x 8 mm / str. synchro



Nature 4V Harvest Oak



Nature 4V Formagio Oak



**Cortina Oak** 62740  
1285 x 192 x 8 mm / str. wood matt



**Camden Oak** 62741  
1285 x 192 x 8 mm / str. wood matt



**Harvest Oak** 62745  
1285 x 192 x 8 mm / str. wood matt



**Lorenzo Oak** 63215  
1285 x 192 x 8 mm / str. synchro



06.

# TREND 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Trend 4V Mamry Oak





Trend 4V Goldap Oak



**Wostok Oak** 52606  
1285 x 192 x 8 mm / str. wood gloss



**Baikal Oak** 56620  
1285 x 192 x 8 mm / str. wood gloss



**Dargin Oak** 56621  
1285 x 192 x 8 mm / str. wood matt



**Goldap Oak** 52600  
1285 x 192 x 8 mm / str. wood matt



**Mamry Oak** 52601  
1285 x 192 x 8 mm / str. wood matt



**Vanda Oak** 52605  
1285 x 192 x 8 mm / str. wood gloss



**Manitoba Oak** 56830  
1285 x 192 x 8 mm / str. wood matt



Trend 4V Wostok Oak



07.

# VISION 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE




THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



MULTICOLOR




RESIST SPILLS  
UP TO 48H



Vision 4V Rainy Oak





**Rainy Oak** 52788  
1285 x 192 x 8 mm / str. synchro



**Erie Oak** 52791  
1285 x 192 x 8 mm / str. synchro



**Athabasca Oak** 52796  
1285 x 192 x 8 mm / str. synchro



**Avenue Oak** 52797  
1285 x 192 x 8 mm / str. synchro



**Maracaibo Oak** 52798  
1285 x 192 x 8 mm / str. synchro



**Alberta Oak** 55493  
1285 x 192 x 8 mm / str. synchro



Vision 4V Athabasca Oak



08.

# GALAXY 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H




Galaxy 4V Lozano Oak





**Viviero Spruce** 61504  
1285 x 192 x 8 mm / str. wood matt



**Cobalt Spruce** 61505  
1285 x 192 x 8 mm / str. wood matt



**Gibson Oak** 61506  
1285 x 192 x 8 mm / str. wood matt




**Porto Oak** 61512  
1285 x 192 x 8 mm / str. wood matt



**Chester Oak** 61507  
1285 x 192 x 8 mm / str. wood gloss



**Lozano Oak** 61509  
1285 x 192 x 8 mm / str. wood gloss



**Clifton Oak** 61510  
1285 x 192 x 8 mm / str. wood gloss



**Montreal Oak** 61513  
1285 x 192 x 8 mm / str. wood matt



Galaxy 4V Viviero Spruce



09.

# MASTER 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Master 4V Wisconsin Oak






**Tamagawa Oak** 57298  
1285 x 192 x 8 mm / str. wood gloss



**Wisconsin Oak** 57312  
1285 x 192 x 8 mm / str. wood matt



**Chester Spruce** 57314  
1285 x 192 x 8 mm / str. wood gloss



**Mondo Oak** 61470  
1285 x 192 x 8 mm / str. wood matt



Master 4V Tamagawa Oak



**Concord Oak** 61471  
1285 x 192 x 8 mm / str. wood matt



Master 4V Mondo Oak



10.

# CHOICE 4V

1285 x 280 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Choice 4V Modena Oak Select






**Barletta Oak Rustic** 54978  
1285 x 280 x 8 mm / str. wood gloss



**Avinion Oak Rustic** 54979  
1285 x 280 x 8 mm / str. wood matt



**Viviero Oak Rustic** 54980  
1285 x 280 x 8 mm / str. wood matt



**Rimini Oak Rustic** 54982  
1285 x 280 x 8 mm / str. wood matt



**Modena Oak Rustic** 54983  
1285 x 280 x 8 mm / str. wood gloss



**Avinion Oak Select** 55294  
1285 x 280 x 8 mm / str. wood matt



**Modena Oak Select** 55295  
1285 x 280 x 8 mm / str. wood gloss



11.

# ELITE 4V

1285 x 280 mm

AC5

ABRASION  
CLASS

UC33

USAGE  
CLASS

25Y

GUARANTEE

8mm

THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Elite 4V Crotone Oak





Elite 4V Caserta Oak




**Caserta Oak** 55041

1285 x 280 x 8 mm / str. synchro



**Marsala Oak** 55043

1285 x 280 x 8 mm / str. synchro



**Crotone Oak** 55044

1285 x 280 x 8 mm / str. synchro



**Cassano Oak** 55045

1285 x 280 x 8 mm / str. synchro



**Augusta Oak** 55042

1285 x 280 x 8 mm / str. synchro



Elite 4V Cassano Oak



12.

# EVOLUTION 4V

1285 x 280 mm

AC5

ABRASION  
CLASS

UC33

USAGE  
CLASS

25Y

GUARANTEE

8mm

THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Evolution 4V Covelo Oak





**Croford Oak** 56928  
1285 x 280 x 8 mm / str. synchro



**Kingston Oak** 56929  
1285 x 280 x 8 mm / str. synchro




**Cerano Oak** 61943  
1285 x 280 x 8 mm / str. synchro



**Covelo Oak** 63126  
1285 x 280 x 8 mm / str. synchro



**Siena Oak** 63110  
1285 x 280 x 8 mm / str. synchro



**Monteverdi Oak** 63111  
1285 x 280 x 8 mm / str. synchro



**Torri Oak** 63112  
1285 x 280 x 8 mm / str. synchro



**Albiano Oak** 63127  
1285 x 280 x 8 mm / str. synchro



Evolution 4V Kingston Oak



13.

# EMOTIONS 4V

1285 x 280 mm

AC5

ABRASION  
CLASS

UC33

USAGE  
CLASS

25Y

GUARANTEE

8mm

THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Emotions 4V Helmond Oak





**Helmond Oak** 62492  
1285 x 280 x 8 mm / str. synchro



**Nebraska Oak** 62493  
1285 x 280 x 8 mm / str. synchro



**Durango Oak** 62494  
1285 x 280 x 8 mm / str. synchro



Emotions 4V Canberra Oak



**Villach Oak** 62495  
1285 x 280 x 8 mm / str. synchro



**Ardesia Oak** 62496  
1285 x 280 x 8 mm / str. synchro



**Caldo Oak** 62500  
1285 x 280 x 8 mm / str. synchro



**Predi Oak** 62501  
1285 x 280 x 8 mm / str. synchro



**Canberra Oak** 62502  
1285 x 280 x 8 mm / str. synchro



**Caluri Oak** 62503  
1285 x 280 x 8 mm / str. synchro



14.

# HARMONY FORTE

1285 x 280 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Harmony Forte Trydent Oak





**Fernandez** 55857  
1285 x 280 x 8 mm / str. wood matt



**Selma Oak** 55858  
1285 x 280 x 8 mm / str. wood matt



**Karelia** 55954  
1285 x 280 x 8 mm / str. wood matt



**Avan Oak** 55959  
1285 x 280 x 8 mm / str. synchro



**Dorado Oak** 56611  
1285 x 280 x 8 mm / str. wood matt



**Marston Oak** 56612  
1285 x 280 x 8 mm / str. wood gloss



**Aurora Oak** 55955  
1285 x 280 x 8 mm / str. wood matt



**Atlantis Oak** 55956  
1285 x 280 x 8 mm / str. wood matt



**Glandys Oak** 55958  
1285 x 280 x 8 mm / str. wood gloss



**Trydent Oak** 56613  
1285 x 280 x 8 mm / str. wood matt



**Raven Oak** 56702  
1285 x 280 x 8 mm / str. wood matt



Harmony Forte Selma Oak



15.

# PRIDE 4V

1285 x 280 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Pride 4V Hilton Oak





Pride 4V Calamba Oak



**Hilton Oak** 56692  
1285 x 280 x 8 mm / str. synchro



**Campo Oak** 56694  
1285 x 280 x 8 mm / str. synchro



**Winston Oak** 56695  
1285 x 280 x 8 mm / str. synchro



**Bergen Oak** 56696  
1285 x 280 x 8 mm / str. synchro



**Laredo Oak** 56693  
1285 x 280 x 8 mm / str. synchro



**Bradford Oak** 56697  
1285 x 280 x 8 mm / str. synchro



**Calamba Oak** 56698  
1285 x 280 x 8 mm / str. synchro



**Cassada Oak** 56699  
1285 x 280 x 8 mm / str. synchro



16.

# VILLA 4V

1285 x 280 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



Villa 4V Bordeaux Pine





**Peoria Oak** 55061  
1285 x 280 x 8 mm / str. wood gloss



**Lozano Oak** 55062  
1285 x 280 x 8 mm / str. wood matt



**Beton** 55063  
1285 x 280 x 8 mm / str. wood matt



Villa 4V Ravello Oak



Villa 4V Veroni Oak



**Lancaster Oak** 55064  
1285 x 280 x 8 mm / str. wood matt



**Veroni Oak** 55065  
1285 x 280 x 8 mm / str. wood matt



**Bordeaux Pine** 55066  
1285 x 280 x 8 mm / str. wood matt



**Ravello Oak** 55068  
1285 x 280 x 8 mm / str. wood gloss



17.

# EXPERT 4V

1285 x 158 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Expert 4V Salerno Oak





Expert 4V Marston Oak



**Trydent Oak** 56002  
1285 x 158 x 8 mm / str. wood matt



**Alicante Oak** 56570  
1285 x 158 x 8 mm / str. synchro



**Salerno Oak** 56571  
1285 x 158 x 8 mm / str. synchro



**Marston Oak** 56572  
1285 x 158 x 8 mm / str. wood gloss



Expert 4V Trydent Oak



18.

# LEGEND 4V

1285 x 158 mm



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



SYNCHRONOUS SURFACE



RESIST SPILLS UP TO 48H



Legend 4V Dundee Oak





**Ashington Oak** 54752  
1285 x 158 x 8 mm / str. synchro



**Glasgow Oak** 54753  
1285 x 158 x 8 mm / str. synchro



**Gordon Oak** 54754  
1285 x 158 x 8 mm / str. synchro



**Edynburg Oak** 54755  
1285 x 158 x 8 mm / str. synchro



**Dundee Oak** 54781  
1285 x 158 x 8 mm / str. synchro



**Livingston Oak** 54783  
1285 x 158 x 8 mm / str. synchro



Legend 4V Gordon Oak



19.

# VISIO-GRANDE

604 x 280 mm



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



STONE SURFACE



RESIST SPILLS UP TO 48H



Visiogrande Dark Coloured Granite





**Oiled State** 56015  
604 x 280 x 8 mm / str. stone



**Screed Light** 56016  
604 x 280 x 8 mm / str. stone




**White Granite** 56017  
604 x 280 x 8 mm / str. stone



**Beige Granite** 56021  
604 x 280 x 8 mm / str. stone



**Cement Screed Beige** 56022  
604 x 280 x 8 mm / str. stone



**Cement Screed Taupe** 56023  
604 x 280 x 8 mm / str. stone



**Slate Clay Grey** 56018  
604 x 280 x 8 mm / str. stone



**Concrete White** 56019  
604 x 280 x 8 mm / str. stone



**Cement Screed Grey** 56020  
604 x 280 x 8 mm / str. stone



**Black Granite** 56024  
604 x 280 x 8 mm / str. stone



**Screed White** 56025  
604 x 280 x 8 mm / str. stone




**Screed Graphite** 56026  
604 x 280 x 8 mm / str. stone







**Idian Slate Light** 56027  
604 x 280 x 8 mm / str. stone




**Concrete White** 56028  
604 x 280 x 8 mm / str. stone



**Travertin** 56029  
604 x 280 x 8 mm / str. stone



**Soft Cotton White** 56649  
604 x 280 x 8 mm / str. stone




**Soft Cloud Grey** 56650  
604 x 280 x 8 mm / str. stone



**Soft Cord Brown** 56651  
604 x 280 x 8 mm / str. stone



**Screed Old White** 56030  
604 x 280 x 8 mm / str. stone



**Cement Screed Sand** 56031  
604 x 280 x 8 mm / str. stone



**Dark Coloured Granite** 56648  
604 x 280 x 8 mm / str. stone



**Soft Dark Anthracite** 56652  
604 x 280 x 8 mm / str. stone



**Marble White** 57203  
604 x 280 x 8 mm / str. stone



Visiogranda White Granite



20.

# XXL DYNAMIC

1790 x 241 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



XXL Dynamic Santa Rosa





XXL Dynamic Chiaro



**Santa Rosa** 57054  
1790 x 241 x 8 mm / str. synchro



**Pirovano** 57056  
1790 x 241 x 8 mm / str. synchro



**Castelli** 57057  
1790 x 241 x 8 mm / str. synchro



**Chiaro** 57058  
1790 x 241 x 8 mm / str. synchro



**Florentino** 57055  
1790 x 241 x 8 mm / str. synchro



**Grigio** 57059  
1790 x 241 x 8 mm / str. synchro



**Nero** 57060  
1790 x 241 x 8 mm / str. synchro



**Alpine White** 57061  
1790 x 241 x 8 mm / str. synchro



21.

# XXL HORIZON

1790 x 241 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



RESIST SPILLS  
UP TO 48H



XXL Horizon Avare






**Avare** 57042  
1790 x 241 x 8 mm / str. wood matt



**Franca** 57043  
1790 x 241 x 8 mm / str. wood matt



**Maringa** 57044  
1790 x 241 x 8 mm / str. wood matt



**Santos** 57048  
1790 x 241 x 8 mm / str. wood matt



**Betim** 57049  
1790 x 241 x 8 mm / str. wood matt



**Canarana** 57050  
1790 x 241 x 8 mm / str. wood matt



**Cascavel** 57045  
1790 x 241 x 8 mm / str. wood matt



**Diadema** 57046  
1790 x 241 x 8 mm / str. wood matt



**Campinas** 57047  
1790 x 241 x 8 mm / str. wood matt



**Diamantino** 57051  
1790 x 241 x 8 mm / str. wood matt



**Jussara** 57052  
1790 x 241 x 8 mm / str. wood matt



**Formosa** 57053  
1790 x 241 x 8 mm / str. wood matt



22.

# GRANDE XXL

1790 x 241 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



THICKNESS



Grande XXL Segovia





**Bellevue** 62960  
1790 x 241 x 8 mm / str. synchro



**Versailles** 62961  
1790 x 241 x 8 mm / str. synchro



**Sanssouci** 62962  
1790 x 241 x 8 mm / str. synchro



**Ashford** 62966  
1790 x 241 x 8 mm / str. synchro



**Amber Fort** 62963  
1790 x 241 x 8 mm / str. synchro



**Chillon** 62964  
1790 x 241 x 8 mm / str. synchro



**Corfe** 62965  
1790 x 241 x 8 mm / str. synchro



**Chantilly** 62967  
1790 x 241 x 8 mm / str. synchro



Grande XXL Sanssouci





Grande XXL Charlottenburg




**Schönbrunn** 62968  
1790 x 241 x 10 mm / str. synchro



**Charlottenburg** 62970  
1790 x 241 x 10 mm / str. synchro



**Moritzburg** 62971  
1790 x 241 x 10 mm / str. synchro



**Casa Loma** 62972  
1790 x 241 x 10 mm / str. synchro



**Neuschwanstein** 62969  
1790 x 241 x 10 mm / str. synchro



**Alhambra** 62973  
1790 x 241 x 10 mm / str. synchro



**Segovia** 62974  
1790 x 241 x 10 mm / str. synchro



**Catalina** 62975  
1790 x 241 x 10 mm / str. synchro



23.

# DIAMOND 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H




Diamond 4V Granada Oak





**Laredo Oak** 57280  
1285 x 192 x 10 mm / str. synchro



**Bogota Oak** 62183  
1285 x 192 x 10 mm / str. wood matt



**Medelin Oak** 62184  
1285 x 192 x 10 mm / str. wood matt



**Cali Oak** 62188  
1285 x 192 x 10 mm / str. wood matt



**Pereira Oak** 62189  
1285 x 192 x 10 mm / str. wood matt



**Cartago Oak** 62190  
1285 x 192 x 10 mm / str. wood matt



**Kartagina Oak** 62185  
1285 x 192 x 10 mm / str. wood matt



**Pradera Oak** 62186  
1285 x 192 x 10 mm / str. wood matt



**Cerrito Oak** 62187  
1285 x 192 x 10 mm / str. wood matt



**Granada Oak** 62191  
1285 x 192 x 10 mm / str. wood matt



Diamond 4V Cartago Oak



24.

# FORZA 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Forza 4V Borgo Oak





Forza 4V Moricone Oak



**La Solana Oak** 63343  
1285 x 192 x 10 mm / str. wood matt



Forza 4V Borgo Oak



**Cassino Oak** 63344  
1285 x 192 x 10 mm / str. wood matt



**Borgo Oak** 63346  
1285 x 192 x 10 mm / str. wood matt



**Aranova Oak** 63347  
1285 x 192 x 10 mm / str. wood matt



**Moricone Oak** 63349  
1285 x 192 x 10 mm / str. synchro



25.

# IMPRESSION 4V

1285 x 158 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H

10




Impression 4V Grenada Oak





**Hamburg Oak** 56578  
1285 x 158 x 10 mm / str. synchro



**Oxford Oak** 56579  
1285 x 158 x 10 mm / str. synchro



**Alicante Oak** 56580  
1285 x 158 x 10 mm / str. synchro



**Grenada Oak** 56584  
1285 x 158 x 10 mm / str. synchro



**Altea Oak** 56581  
1285 x 158 x 10 mm / str. synchro



**Bassano Oak** 56582  
1285 x 158 x 10 mm / str. synchro



**Bilbao Oak** 56583  
1285 x 158 x 10 mm / str. synchro



**Santana Oak** 56586  
1285 x 158 x 10 mm / str. synchro



Impression 4V Santana Oak



26.

# VOGUE 4V

1285 x 158 mm

AC5

ABRASION  
CLASS

UC33

USAGE  
CLASS

25Y

GUARANTEE

10mm

THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Vogue 4V Aragon Oak





Vogue 4V Belmonte Oak



**Aragon Oak** 54815

1285 x 158 x 10 mm / str. synchro



**Morella Oak** 54816

1285 x 158 x 10 mm / str. synchro



**Belmonte Oak** 54817

1285 x 158 x 10 mm / str. synchro



**Dalton Oak** 54818

1285 x 158 x 10 mm / str. synchro



Vogue 4V Morella Oak



27.

# DISCOVERY 4V

1285 x 158 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Discovery 4V Argenta Oak Jasmine





Discovery 4V Argenta Oak Grey



**Verden Oak Snow** 54706

1285 x 158 x 10 mm / str. synchro



**Argenta Oak Grey** 54707

1285 x 158 x 10 mm / str. synchro



**Argenta Oak Natural** 54708

1285 x 158 x 10 mm / str. synchro



**Argenta Oak Jasmine** 54712

1285 x 158 x 10 mm / str. synchro



Discovery 4V Argenta Oak Natural



28.

# STORY 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE




RESIST SPILLS  
UP TO 48H



Story 4V Austin Oak





**Lorian Oak** 53343  
1285 x 192 x 12 mm / str. wood matt



**Medina Oak** 53344  
1285 x 192 x 12 mm / str. synchro



**Waldorf Oak** 55233  
1285 x 192 x 12 mm / str. wood matt



**Kolari** 56130  
1285 x 192 x 12 mm / str. synchro



**Sydney Oak** 62429  
1285 x 192 x 12 mm / str. wood matt



**Darwin Oak** 62430  
1285 x 192 x 12 mm / str. wood matt



**Austin Oak** 55234  
1285 x 192 x 12 mm / str. synchro



**Rovertto Oak** 55675  
1285 x 192 x 12 mm / str. synchro



**Harvest Oak** 55972  
1285 x 192 x 12 mm / str. synchro



Story 4V Rovertto Oak



29.

# SUPREME 4V

1285 x 192 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H




Supreme 4V Merlo Oak





Supreme 4V Veneto Oak



**Sella Oak** 63167  
1285 x 192 x 12 mm / str. synchro



**Casera Oak** 63168  
1285 x 192 x 12 mm / str. synchro



**Rocca Oak** 63169  
1285 x 192 x 12 mm / str. synchro



**Calvene Oak** 63170  
1285 x 192 x 12 mm / str. synchro



**Merlo Oak** 63172  
1285 x 192 x 12 mm / str. synchro



**Veneto Oak** 63174  
1285 x 192 x 12 mm / str. synchro



30.

# EXTREME 4V

1285 x 158 mm



ABRASION  
CLASS



USAGE  
CLASS



GUARANTEE



THICKNESS



4-SIDED  
BEVEL



WOODEN  
SURFACE



SYNCHRONOUS  
SURFACE



RESIST SPILLS  
UP TO 48H



Extreme 4V Tolpeo Oak





**Tolpeo Oak** 54745  
1285 x 158 x 12 mm / str. synchro



**Guanare Oak** 54748  
1285 x 158 x 12 mm / str. wood gloss



**Anaco Oak** 54749  
1285 x 158 x 12 mm / str. wood gloss



**Prego Oak** 54750  
1285 x 158 x 12 mm / str. wood matt



Extreme 4V Anaco Oak



**Breyton Oak** 54751  
1285 x 158 x 12 mm / str. synchro




Extreme 4V Prego Oak




# 31. megaloc

aqua protect



Water resistant laminate flooring with megaloc aqua protect is easy to install and gives you full protection.

The unique system provides reliable water resistance by preventing water from entering the joints.



- A Edge Hydrophobisation
- B Lacquered Bevel
- C Overlapping Bevels
- D Durable Force-Locking Connection
- E Swelling-Modified HDF Board

**LLT** | anti scratch **LLT** | anti static


LLT surface, which guarantees a great appearance of the floor surface even with intensive exploitation. Safety for allergy sufferers - no dust at home! A special anti-static layer prevents the formation of electric charges on the surface.

**antibacterial<sup>+</sup>**  
by CLASSEN

The surfaces of CLASSEN laminate floors have a strong antibacterial effect. It therefore awards CLASSEN laminate the „Antibacterial“ certificate according to ISO 22196.




Friendly to warm water and electric **underfloor heating systems.**



SCAN & SEE  
How to correctly install  
click laminate flooring

# OUR SURFACE STRUCTURE


SCAN & SEE  
our shorts video




**Synchronized texture**



**Stone texture**



**Wood texture matt**



**Wood texture gloss**





@ClassenFloorPoland  
@ClassenFloorHungary  
@ClassenFloorRomania  
@ClassenFloorUkraine  
@ClassenFloorRussia  
@Classen.Group



classen\_floor  
classen\_group



ClassenFloor  
Instructions and films



Classen Cloud  
Download app with our floors



Classen Competence Centre  
Showroom and advice for our customers

[www.classenfloor.com](http://www.classenfloor.com)

**Classen Floor Systems Sp. z o.o.**  
ul. Wyzwolenia  
44-292 Zwonowice, Poland

+48 (32) 429 20 00  
biuro@classenfloor.pl

**CLASSEN Group**  
Werner-von-Siemens-Str. 18-20  
56759 Kaisersesch, Germany

+49 2653 9800  
info@classen.de

**2023.08**  
The catalogue does not constitute an offer within the meaning of commercial law. Classen Floor Systems Sp z o.o. reserves the right to change and improve the products presented in this publication without prior notice. Information contained in this catalogue is correct at the time of publishing.

Colours presented in this catalogue may differ from the products that are on sale.